

REVISION OF THE TOXOGLOSSATE MOLLUSCA OF
NEW ZEALAND.

BY CAPTAIN F. W. HUTTON, F.G.S., &c.

In the present list I have omitted the following species as either not belonging to New Zealand or not belonging to this group of Mollusca.

Conus distans, Hwass. Inhabits New Caledonia and Polynesia.

Conus zealandicus, Hutton. Inhabits Australia. *C. aplustre* Reeve.

Drillia emula, Angas. Inhabits New South Wales.

Lacheis sulcata, Hutton. Probably a *Columbella*.

Family PLEUROTOMIDÆ.

PLEUROTOMA ENGONIA. Watson, Jour. Lin. Soc. of London, Vol. XV., p. 405 (1881).

Habitat.—Dredged by H.M.S. Challenger—N.E. of New Zealand; also at Japan.

This is rather a large species ($1\frac{1}{4}$ inch in length) belonging to the subgenus *Genota*. It is keeled, without any longitudinal ribs, but with small broadish spine threads.

PLEUROTOMA NEOZELANICA. E. A. Smith, Ann. Mag. of Nat. Hist., 1877, Vol. XIX., p. 492; *Drillia cheesemani*, Hutton, Jour. de Conch., 1878, p. 16.

Habitat.—Auckland.

PLEUROTOMA ALBULA. Hutton, Cat. Marine Moll. of New Zealand, Wellington, 1873, p. 12. *P. antipodum*, E. A. Smith, Ann. and Mag. of Nat. Hist., 1877, Vol. XIX., p. 491.

Habitat.—Throughout New Zealand.

PLEUROTOMA ISCHNA. Watson, Jour. Lin. Soc. of London, Vol. XV., p. 403 (1881).

Habitat.—Dredged by H.M.S. Challenger, N.E. of New Zealand.

This species seems to differ from the last in being less deeply sculptured. Mr. Watson places it in the subgenus *Surcula*.

DRILLIA (?) MAORUM. E. A. Smith, Ann. and Mag. of Nat. Hist., 1877, Vol. 19, p. 497. *P. Buchanani* et *P. Trailli*, Hutton, Manual of New Zealand Mollusca, 1880, p. 42; [not *P. Buchanani*, Hutton, Cat. Tertiary Moll. of New Zealand, 1873, p. 4]. *D. Trailli*, Tryon, Man. Conch., Vol., VI., p. 206, pl. 34, fig. 90.

Habitat.—Throughout New Zealand.

This species is distinguished from *P. Buchanani* by having the suture slightly margined, and the canal shorter.

DRILLIA BULBACEA. Watson, Jour. Lin. Soc. of London, Vol. XV., p. 418 (1881).

Habitat.—Dredged by H.M.S. Challenger, N.E. of New Zealand.

Hardly, I think, to be distinguished from the last species.

DRILLIA (?) AMÆNA. E. A. Smith, Ann. and Mag. of Nat. Hist., 1884, Vol. XIV., p. 318.

Habitat.—I much doubt whether this species really inhabits New Zealand. I have never seen it.

DRILLIA NEOZELANICA. Conch. Icon. f. 143 (1843); Tryon, Man. Conch., Vol. VI., p. 184, pl. 12, f. 44 (bad). *P. rosea*, Quoy and Gaimard, Voy. Astrelabe, Zool II., p. 524, pl. 35, f. 10-11 (1833), [not of Sowerby]. *P. Quoyi*, Deshayes [not of Desmoulins].

Habitat.—Throughout New Zealand.

DRILLIA GYPSATA. Watson, Jour. Linn. Soc. of London, Vol. XV., p. 413 (1881).

Habitat.—Dredged by H.M.S. Challenger, N.E. of New Zealand.

DRILLIA LEVIS. Hutton, Cat. Marine Moll. of New Zealand, p. 12 (1873).

Habitat—Foveaux Straits.

Much like *D. alabaster* (Reeve), but without any spinal grooves.

DRILLIA ULA, Watson, Jour. Lin. Soc. of London, Vol. XV., p. 420 (1881).

Habitat.—Dredged by H.M.S. Challenger, N.E. of New Zealand.

DRILLIA PROTENSA, Hutton (Daphnella). Trans., New Zealand Institute, Vol. XVII, p. — (1885). *D. Awamoensis*, Hutton, Trans. New Zealand Institute, Vol. XV., p. 131; Tryon, Man. Conch., Vol. VI., p. 208, pl. 12, f. 25, [not *P. Awamoensis*, Hutton, Cat. Tert. Moll. of N.Z., p. 4].

Habitat.—Waiwera, near Auckland.

MANGILIA GOODINGII, E. A. Smith, Ann. and Mag. Nat. Hist., (1884), Vol. 14, p. 320.

Habitat.—I much doubt whether this species inhabits New Zealand. I have never seen it.

CLATHURELLA SINCLAIRII, E. A. Smith, Ann. and Mag. Nat. Hist. (1884), Vol. 14, p. 320 (*Mangilia* ?); *Defranchia luteo-fasciata*, Man. New Zealand Mollusca (1880), p. 45, [not of Reeve].

Habitat.—Throughout New Zealand, and at the Chatham Islands.

DAPHNELLA LYMNEIFORMIS, Kiener, Icon. Pleurotoma, p. 62, Taf. 22, f. 3; Tryon, Man. Conch., Vol. VI., p. 300, pl. 25, f. 60; *D. cancellata*, Hutton, Jour. de Conch. (1878), p. 15.

Habitat.—Auckland. Found also in Australia.

Family. TEREBRIDÆ.

TEREBRA TRISTIS, Deshayes, Pro. Zool. Soc. (1859), p. 306; Reeve, Conch. Icon. f. 102; Tryon, Man. Conch., Vol. VII., p. 36, pl. 10, f. 100; *Acus Kirki*, Hutton, Man., New Zealand, Moll., p. 42; *Terebra antarctica*, E. A. Smith, M.S.S.

Habitat.—Throughout New Zealand; also at Japan.